

Condition		Recommendation/Additional Info
Is safety a part of the curriculum?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is Personal Protective Equipment provided and readily available?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are safe operating rules posted on or near each machine?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is the central power shut-off in a convenient location? (clearly marked)	Yes <input type="checkbox"/> No <input type="checkbox"/>	
When equipment is being repaired, are "Out of Service" signs posted, and the power source locked out?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are fire exit maps near exit doors?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are exit doors to outside clearly marked?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is emergency lighting (battery backup) provided in the event of a power failure?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are flammables (paint, thinner, stain, etc.) stored in a flammable cabinet?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is there appropriate ventilation in the shop?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is there a metal container with a tight-fitting lid for soiled rags?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are all overhead lighting fixtures operating properly to provide adequate illumination?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are first aid kits, fire blankets, eyewash stations and fire extinguishers available?	Yes <input type="checkbox"/> No <input type="checkbox"/>	

Condition		Recommendation/Additional Info
Is the general housekeeping adequate?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are storage shelves and bookcases secured to adjacent walls?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are safety zones painted on the floor around each machine?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Do mezzanine or elevated storage areas have toe boards and guard rails to prevent injury from fall or falling objects?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are mezzanine or elevated storage area label with appropriate load bearing weight?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are telephones or other means of communication readily available?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are gas cylinders chained to a cart or other support to prevent accidental tip-over?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is proper clearance maintained in front of the electrical panel? (minimum 36-inch clear space)	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is secondary container labeling adequate?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are drill bits removed from drills when not in use?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are safety rules posted near machines?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are safety zones painted around the equipment?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are blade guards in place?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is eye protection provided and consistently used?	Yes <input type="checkbox"/> No <input type="checkbox"/>	

Condition		Recommendation/Additional Info
Is the dust collector connected, working and cleaned on a regular basis?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is the power cord in good condition?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Is the blade sharp and in good condition?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are fences secured and in good condition?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are push sticks available to remove small pieces of cut wood?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Does the start button have a collar around it to prevent accidental starts?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Are appropriate storage procedures followed?	Yes <input type="checkbox"/> No <input type="checkbox"/>	